## PANESE PATENT OFFICE

#### PATENT ABSTRACTS OF JAPAN

(11) Publication number: 02110660 A

(43) Date of publication of application: 23 . 04 . 90

(51) Int. Ci

G06F 15/28 H04N 7/08

(21) Application number: 63263421

(22) Date of filing: 19 . 10 . 88

(71) Applicant:

**FUJITSU GENERAL LTD** 

(72) Inventor.

SUZUKI YASUSHI KAKIMOTO KOJI MINAMI YUJI HASHIMOTO JUNICHI YAMANE KENICHI

**INAMI MASAHIKO** 

#### (54) HOME BETTING DEVICE


(57) Abstract:

PURPOSE: To shorten the time for using a telephone line when a betting ticket is purchased by displaying horse race information by teletext and information by a display processing means on the screen of a television and transmitting betting data to a selling side by a winning horse betting setting means.

CONSTITUTION: Information about a race horse in a prescribed race stored in a RAM part 7 such as the weight, the odds, and the race result of the race horse is displayed on the screen, on which a teletext horse race program, etc., received by a teletext receiving part 2 are to be displayed, by a CPU 9. Further, when winning horse betting is executed by operating a remote key pad (RKP) remote controller 4, winning horse betting data are stored in a RAM 15 of a winning horse betting control part 3, a winning horse number to be purchased, a purchased amount, and an approximate paying back rate and a popularity rank at a current point by the teletext are displayed on the screen, and winning horse ticket purchase betting data are collectively transmitted through an UF part 24, a modem part 17, a network control unit (NCU) 16 to the winning horse betting ticket selling side by the telephone line in a

packet system.

COPYRIGHT: (C)1990,JPO&Japio



# LAWYERS' AND MERCHANTS' TRANSLÀTION BUREAU, INC.

Legal, Financial, Scientific, Technical and Patent Translations
11 BROADWAY
NEW YORK, NY 10004



# **Certificate of Accuracy**

# **TRANSLATION**

Fron

Japanese into English

STATE OF NEW YORK COUNTY OF NEW YORK **s.s.**:

On this day personally appeared before me who, after being duly sworn, deposes and states:

Elisabeth A. Lucas

That he is a translator of the Japanese and English languages by profession and as such connected with the LAWYERS' & MERCHANTS' TRANSLATION BUREAU;

That he is thoroughly conversant with these languages;

That he has carefully made the attached translation from the original document written in the Japanese language; and

That the attached translation is a true and correct English version of such original, to the best of his knowledge and belief.

SUBSCRIBED AND SWORN TO BEFORE ME THIS

---

Susan Tapley

Notary Public, State of New York No. 01TA4999804

Qualified in Queens County Certificate filed in New York County and Kings County

Commission Expires July 27, 2002

Inher

#### TRANSLATION FROM JAPANESE

- (19) JAPANESE PATENT OFFICE
- (12) Unexamined Patent Application Gazette (A)
- (11) Unexamined Patent Application 2-110660
- (43) Disclosure Date: April 23, 1990
- (51) Int. Cl. Identification Code JPO File No.

G 06 F 15/28

A 7165-5B

H 04 N 7/08

A 8838-5C

Request for Examination: Not filed

No. of Claims 6

(Total 18 pages)

- (54) Title of the Invention: Apparatus for at-home betting
  - (21) Patent Application No. 63-263421
  - (22) Filing Date: October 19, 1988
- (72) Inventor: Yasushi Suzuki, c/o Fujitsu-General, Ltd., Suenaga 1116, Takatsu-Ku, Kawasaki-shi, Kanagawa-ken, Japan
- (72) Inventor: Koji Kakimoto, c/o Fujitsu-General, Ltd., Suenaga 1116, Takatsu-Ku, Kawasaki-shi, Kanagawa-ken, Japan

- (72) Inventor: Yuji Minami, c/o Fujitsu-General, Ltd., Suenaga 1116, Takatsu-Ku, Kawasaki-shi, Kanagawa-ken, Japan
- (71) Applicant: Fujitsu-General, Ltd., Suenaga 1116, Takatsu-Ku, Kawasaki-shi, Kanagawa-ken, Japan
- (74) Agent: Attorney, Takuya Ohara (continued on last page)

#### SPECIFICATION

- 1. Title of the Invention: Apparatus for at-home betting
- 2. Claims
  - 1. An at-home betting apparatus comprising
- a tele-text broadcast receiving means for receiving the tele-text broadcast of a specified channel by means of a television signal received by an antenna, converting the racing programs, etc. of that tele-text broadcast into a video signal and outputting that signal to a television or the like, a horserace betting means comprising memory means for storing data on information necessary for horserace betting, display processing means for displaying necessary information on said television screen based on information stored in said memory means, horserace bet establishing means for establishing on that screen, the horse number, the monetary amount of purchase, and [purchaser] ID number for the specified bet,

horserace bet transmitting means for transmitting the bet established by that horserace bet establishing means to a horserace betting slip sales side, via a telephone line, whereby, when placing said bet, horserace information from the tele-text broadcast is displayed on said television screen together with the display of horserace information obtained from said display processing means, the number of the horserace bet placed through said horserace bet establishing means, etc., and whereby data on that horserace bet is transmitted to said horserace betting slip sales side, enabling the bet to be placed.

- 2. The at-home betting apparatus according to claim 1, wherein said display processing means displays on said screen race track names and same day sales and advance sales of bets so that the specified race track and sales date are established by said racehorse bet establishing means.
- 3. The at-home betting apparatus according to claim 1, wherein said display processing means displays on said screen the bet number established by said horserace bet establishing means, the monetary amount of the purchase, a forecasted payback rate for that bet number based on the latest horserace information of said tele-text broadcast, and the popularity ranking.

- 4. The at-home betting apparatus according to claim 1, wherein said display processing means displays the bet number for a combination win, win or place established by said horserace bet establishing means, the monetary amount of the purchase, the total amount, etc.
- 5. The at-home betting apparatus according to claim 1, wherein said horserace bet transmitting means transmits to said horserace betting slip sales side as a batch the race number, horse number, number of betting slips (monetary amount) purchased, for the bet established by said horserace bet establishing means, and the member number of said athome betting apparatus, the ID number, and other data necessary for placing the bet.
- 6. The at-home betting apparatus according to claim 1, wherein said horserace bet establishing means is a remote control and in said [sic] horserace betting control means a photo-receptor means is provided to receive that remote control signal.
- Detailed description of the invention
   (Field of Industrial Utilization)

The present invention relates to an at-home betting apparatus which enables betting on horse races via a telephone line. More specifically, it relates to an at-home

betting apparatus which receives tele-text horserace programs and displays the horserace program and horserace information from that horserace program, making it possible to refer to that in betting, thus enabling reduction in telephone line usage time when placing such horserace bets.

#### (Prior Art)

Conventionally, when purchasing horserace bets, one goes to the racetrack having the event or to an off-track betting center, and the general practice is to purchase a bet at the sales window of that off-track betting center, paying cash. However, because purchasing bets in that way takes time and effort, a system has been proposed which, for example as a part of the special services for racing fans, would enable the purchase of those horserace bets by telephone.

Among such telephone betting systems, there are the ARS system and the CRT system, and with these, subscribers enter into contracts with promoters. For example, the individual establishes an ordinary deposit [account] at a bank specified by the promoter, and at the same time creates a "fixed" (or, savings) deposit [account] (for example, with face value of ¥100,000, ¥200,000, or ¥300,000, etc.) The promoter holds this [fixed] deposit as collateral and that amount is set as the limit amount for purchasing horserace

bets. Through this means, the long-distance fan who is a member can purchase the desired horserace bets by telephone.

(Problems the Invention Attempts to Solve)

However there are problems with the above-mentioned telephone betting systems. With the ARS system, the member connects to the computer of the bet selling side by operating the buttons on a push-button telephone. Through further operation of the buttons the details of the bet are inputted. For this reason, it takes time to place a bet and telephone line usage time becomes long and, because the number of telephone lines which can connect to the bet selling side is fixed, there are times when a connection to the betting slip selling computer cannot be made. In particular, as the deadline for a race approaches, members may swarm [to the phone lines], and in some cases may not be able to purchase betting slips.

With the CRT system, the member places his horserace betting slip purchase order by telephone directly with an employee at the telephone betting office. In this case, the employee responds to the member based on data about the horses displayed on a cathode ray tube (CRT), accepts the horserace bet order, and a betting slip is sold. However, because the purchase is made verbally, [more] mistakes occur in purchasing horserace betting slips than with the above-

mentioned ARS system. In addition, it has the same kinds of problems mentioned above, with much time being required to make purchases because of difficulty hearing clearly [over the phone] and other such points.

On the other hand, from the standpoint of the fans, when they purchase horserace betting slips, information on the estimated payback rate (odds, etc.) is extremely important reference material, along with racing newspapers. Fans who go directly to the racetrack where the race is held can gain that information from the odds display board, but for at-home betters, their only alternative is to refer to odds information broadcasted for example by radio, TV, etc.

However, there is no assurance that such broadcasts will provide the necessary information on odds, etc. at the desired times, so from the standpoint of the better, there are many inconvenient points.

It is therefore an object of the present invention to provide an at-home betting apparatus which enables shortening of telephone line usage time when purchasing horserace betting slips, thus enabling the purchase of horserace betting slips by more fans, and also making it possible to obtain horserace information, such as odds, as needed.

## (Means Used to Solve the Problems)

To achieve the stated object, the at-home betting apparatus of the present invention, in essence, comprises [a] a tele-text broadcast receiving means for receiving the tele-text broadcast of a specified channel by means of a television signal received by an antenna, converting the racing programs, etc. of that tele-text broadcast into a video signal and outputting that signal to a television or the like, and [b] a horserace betting means comprising [i] information storage means for storing data on information necessary for horserace betting, [ii] display processing means for displaying necessary information on said television screen based on information stored in said information storage means, [iii] horserace bet establishing means for establishing on that screen, the horse number, the monetary amount of purchase, and [purchaser] ID number for the specified bet, [iv] horserace bet transmitting means for transmitting the bet established by that horserace bet establishing means to a horserace betting slip sales side, via a telephone line, whereby, when placing said bet, horserace information from the tele-text broadcast is displayed on said television screen together with the display of horserace information obtained from said display processing means, the number of the horserace bet placed through said horserace bet establishing means, etc., and whereby data on that horserace bet is transmitted to said

horserace betting slip sales side, enabling the bet to be placed.

# (Operation)

Because the configuration has been made as described above, [i] the information necessary for betting which is stored in said information storage means, [ii] the weight and odds (for combination win, win, or place) for the horses running in a specified race, and [iii] race results, etc. are displayed on the screen on which is displayed the horseracing program of the tele-text broadcast received by said tele-text receiving portion. When betting actions are performed on said horserace bet establishing means (RKP; remote control), referring to this kind of horserace information, the messages necessary for that betting are displayed on said screen. By operating that horserace bet establishing means following those messages, the horse bet number being bought, "1-3" if a combination win [bet] and "16" if a win or place [bet] are displayed, and lined up with those numbers, "10,000," the amount [of the bet] purchased is shown. In addition, the current forecasted payback rate and popularity ranking of the horse bet number being purchased are displayed on the screen. Also, if that horse bet is cancelled or changed (race, horse number, monetary amount of purchase, etc.) via said horserace bet

establishing means, the horse bet number, purchase amount, etc. displayed on said screen are erased or changed.

In this way, by controlling the bet transmitting means, after confirming that there are no mistakes in the horse bet displayed on said screen, communication with the specified betting slip selling side is initiated. That is, the data for purchase of a betting slip is transmitted from said athome betting apparatus, in packet format in one batch, via a telephone line. As a result, just a short usage time of that telephone line is enough and a larger number of athome betting apparatuses can be connected by telephone line to that betting slip selling side.

#### (Example)

An exemplary embodiment of the present invention is described below, based on the figures.

This at-home betting apparatus, as shown in Figures 1 through 4, comprises [a] a tele-text broadcast receiving portion 2 which receives the tele-text broadcast of a television broadcast received by antenna 1 and displays that tele-text broadcast on a television screen or such, and [b] a horserace bet controlling portion 3 having [i] a [parameter] establishing function which establishes the horse bet number for placing the bet and the monetary amount

of the purchase, [ii] a display processing function for displaying on said screen horserace information (odds, etc.) from the horserace program of the tele-text broadcast and information necessary for placing a bet, [iii] a transmission function which, via a telephone line, transmits to the horserace betting slip sales center the data for purchase of a betting slip, [iv] an inquiry function which inquires whether that betting slip is a winner, etc., [v] a remote control function which operates by a remote control signal, [vi] etc. In this example, the at-home betting apparatus is made so that operation is done by operating an RKP (remote key pad; remote control) 4.

Tele-text broadcast receiving portion 2 comprising [a] a tuner portion 5 which receives the tele-text broadcast of the specified television broadcast channel and "extracts" the video signal, [b] a DRT (Data Regenerator for Tele-text) portion 6 which extracts from that video signal the teletext data, [c] a RAM portion 7 which stores that tele-text broadcast data, [d] a shared memory portion 8 which stores television screen display data (not shown in the figures) and audio [or, voice] data, [e] a CPU (microcomputer) 9 which controls the reading, writing, transmission, etc. of these data, [f] a ROM portion 10 which stores the control program, etc. of this CPU 9, [g] a bus 11 which connects DRT portion 6, RAM portion 7, shared memory portion 8, CPU 9,

ROM portion 10, etc., [h] an IDT (Intelligent Decoder for Tele-text) portion 12 which, in response to commands from CPU 9 or below described CPU 18, outputs as video/audio signals the display/audio data stored in said shared memory 8, and also sends output to a printer, and [i] an RF modulator 13 which RF modulates these video/audio signals. In addition, a "work RAM" for CPU 9 is included in the said RAM portion 7.

Horserace bet controlling portion 3, comprises [a] a photo-receptor and I/F portion 14 for receiving a remote control signal from RKP 4, [b] a RAM portion 15 which stores information, betting data, etc. necessary for betting, etc., [c] an NCU (Network Control Unit) 16 for connecting to the (computer of the) horserace betting slip sales center, via a telephone line, [d] a modem portion 17 which receives data, etc. via this NCU 16, [e] a CPU (microprocessor) 18 for processing betting control and display control, in response to operation of RKP 4, [f] a ROM portion 19 in which the control program of this CPU18, etc. are stored, [g] a bus 20 which connects a photoreceptor and I/F portion 14, RAM portion 15, CPU 18, ROM portion 19, etc., [h] an I/F portion 21 which connects this bus 20 and bus 11 of tele-text broadcast receiving portion 2, [i] an I/F portion 22 for inputting a "reception status" information signal from tuner portion 5, [j] I/F portions 23 and 24 for providing an

interface between NCU 16, modem portion 17 and bus 20, [k] memory card 25 in which various kinds of software relating to horserace betting are stored, and [l] memory card readout portion 26 which reads that software. In addition, a "work RAM" for CPU 18 is included in the said RAM portion 15 and is backed up by a battery.

RKP 4 is a unit which emits an infrared (IR) light signal, similar to a remote control for a television, etc., and on this RKP 4, as shown in Figure 2, operation keys for receiving the tele-text broadcast and purchasing betting slips are provided. Among the operating keys, key groups are provided: [a] a television / tele-text [broadcast] operation key group 27 which includes, for example, a "Power" key, television broadcast and tele-text broadcast reception keys, etc., [b] a function key group 28 for selecting "Display," "Bet," "Transmit," "Inquiry," etc., as necessary for betting or [obtaining] horserace information, and [c] a purchasing key group 29 which, for purchasing horserace betting slips, inputs the horse number, monetary amount, ID number, etc.

Furthermore, as shown in Figure 3, provided on the front panel of the above-mentioned at-home betting apparatus are a power switch 30, above-mentioned photo-receptor portion and photo-receptor portion 14a of I/F portion 14,

and insertion slot 26a for above-mentioned memory card 25. Also, as shown in Figure 4, provided on the rear panel of the above-mentioned at-home betting apparatus are antenna connector 1a, to which antenna 1 is connected, connector 12a for printer output of above-mentioned IDT portion 12, [the IDT's] video output connector 12b, its audio output connector 12c, its video output 21-pin connector 12d, connector 13a for the RF output of said RF modulator 13, and connector 16a for connecting the telephone line. Through this configuration, the video signal from IDT portion 12 is sent to the television via video output connector 12b or 21-pin connector for video output 12d, and the video is displayed on the screen of that television.

Next is an explanation of the operation of an at-home betting apparatus according to the above-mentioned configuration based on the flow charts of Figures 5 through 12 and the television screen display status diagrams of Figures 13 through 33.

First of all, a contract is entered into between the horserace promoter and the operator of said at-home betting apparatus, and a connection via a telephone line is established between the at-home betting apparatus and the promoter's horserace betting slip sales center. In

addition, the at-home betting apparatus is connected to a television and a telephone line.

In the flow chart of Figure 5, power switch 30 is turned on and the "Power" key of television/tele-text broadcast key group 27 is switched on. Upon inputting a remote control signal to operate it, via the photo-receptor portion of horserace betting control portion 3 or I/F portion 14, CPU 18 performs display processing of the titles which can be selected. These include inquiries to learn the races where bets won, the deposit balance, or bets for purchasing horserace betting slips, or information (odds) from tele-text broadcast horseracing programs. As shown in Figure 13, title display is performed on the television screen (Step ST1). In other words, by means of a program stored in ROM portion 19, for example, or read by memory card readout portion 26, a title display command and data are sent by CPU 18 to tele-text receiving portion 2 via I/F portion 21. Whereupon, that title display command is sent to IDT portion 12 by CPU 9 of tele-text broadcast receiving portion 2, and at the same time the above-mentioned display data is stored in shared memory 8 and above-mentioned title display is done on the screen.

Here, from among the keys of function key group 28 of RKP 4, such as "Bet," "Inquiry," "Display," etc., the "Bet"

key is pushed and, upon inputting a remote control signal from RKP 4 into CPU 18 via I/F portion 14 or the photoreceptor portion of horserace betting control portion 3 (Step ST 2), the betting sub-routine of ROM 19 is started. Then a decision as to whether it is presently in the midst of betting activity or not is made (Steps ST 3, ST 4) and if not in the midst of betting activity, a decision is made as to whether the initial betting settings have been completed or not (Step ST 5). In other words, in cases where there is a "betting possible" state at the horserace betting control portion 3, it proceeds to the "betting A" sub-routine shown in Figure 6. If it is not in that state, display processing for "track name" selection and display processing for track name (name of track where race is held) and sales category ([bet] sales for today's races, tomorrow's races) are done. For example, track name display data stored in ROM 19 is transferred to tele-text broadcast receiving portion 2 via I/F portion 21, and a "track name selection" command is outputted. That display data is stored in shared memory portion 8, the command is inputted to IDT portion 12, and as shown in Figure 14, a "betting screen" is displayed on the [television] screen showing the racetrack names, sales categories, etc. (Step ST 7). Here, following the messages in the lower part of the display screen, for example in the case of selecting "Tokyo Racetrack" and "today's race sales," the number "6" key of the "purchasing key group" 29

of RKP 4 is pushed, followed by the "#" key (Step ST 8).
Whereupon, display control processing is done by CPU 18,
according to the selection and, as shown in Figure 15, the
part of the display showing "6, Tokyo" changes color, so
that it can be distinguished from other parts. Next, upon
pushing the number "1" key followed by the "#" key (Step
ST 8), in the same way as described above, an initial
setting for purchase of horserace betting slips for today's
races at Tokyo Racetrack is made, and [the system] proceeds
to "betting A" sub-routine.

In this way, by operating RKP 4 following the screen display, the initial settings for betting are completed by CPU 18 of horserace betting control portion 3, and it becomes possible to display the specified race track, which will be explained later, the betting [situation] on the horses in the specified race and information on the horses in the specified race (i.e. display of the betting input screen).

Next, as in the flow chart of Figure 6, upon completion of the above-mentioned initial settings, display processing of the betting input screen is done by horserace betting control portion 3 which enables normal betting (Step ST 9). In other words, as shown in Figure 16, one is asked for example about the type of bet (combination win, win, place)

for the race with the nearest deadline for purchase of betting slips. At this time, the race number can be changed by moving the cursor C by pushing the arrow key(s) of purchasing key group 29, for example, or by using the "+" or "-" keys of function key group 28. Here, if any one of the "Combination win," "Win," or "Place" keys of the purchasing key group 29 is pushed, display control processing will be done in response to the operation of that key, as shown in Figure 17, and "combination," "win," "place" etc. will be displayed on the screen. Also, according to that display, cursor C will move. Next, if a horse number is inputted by pushing the number keys "1" through "0," that number will be displayed and cursor C will move accordingly. Further, if the monetary amount of the horserace betting slip is inputted by operating number keys and the "10,000" or "1000" or "100" or "\" key in combination, calculation of a monetary amount and display processing will be done according to such key operation, and as shown in the same figure, that monetary amount (total, balance) will be displayed in a specified area of the screen. Furthermore, when bet type (combination win, win, or place) and a horse number are inputted, display processing for the forecasted payback rate and the popularity ranking is done based on the odds information of the latest horserace program of the tele-text broadcast currently being received. Along with the bet number and the monetary amount of the bet, the odds

and popularity ranking are displayed on the screen. case of purchasing a ¥10,000 bet for a "1-3" combination win, for example, one pushes the "Combination win" key of the purchasing key group 29, then pushes the "1" and "3" keys, and finally pushes the "1" and "10,000" and "\" keys. After a bet has been placed in this manner, a check is performed to make sure no horse has been scratched from the lineup of the race for which the bet has been placed (Step ST 11). In the case where there are no scratches, a decision is made as to whether the balance of the money held as collateral has fallen to "0" or below (Step ST 12). If enough funds remain to enable purchase of that horserace betting slip, error detection is performed to verify that there are no mistakes in the betting combination (Step ST 13). If there are no mistakes in the bet, a check is made as to whether or not an additional bet is to be placed (Step ST 13). In other words, as shown in Figure 18, a decision is made as to whether or not the specified key (the "#" key) of function key group 28 has been pushed in accordance with the messages in the lower part of the display screen (Step ST 14). If the specified key operation has not been done, [the system] returns to Step ST 10 and another bet may be placed on the same race. In case one of the horses originally in the lineup for that race has been scratched, or in case the balance of the collateral held drops to "0" or below (for example, becoming negative), [the system]

returns to Step ST 10, redoing display processing of the input screen for betting, so that re-betting can be done.

Next, after pushing the "#" key, if the "Transmit" key of function key group 28 is pushed (Step ST 15), in accordance with the display screen shown in Figure 19, the transmission sub-routine shown in Figure 7 starts, while if the "Cancel" key is pushed (Step ST 16), the cancellation sub-routine shown in Figure 8 starts, and if the "Change" keys is pushed (Step ST 17), the change sub-routine shown in Figure 9 starts. In the case that none of these "Transmit," "Cancel," or "Change" keys has been pushed, [the system] returns to Step ST 2 and the above-described sub-routine shown in Figure 5 is executed.

Next, in the flow chart of Figure 8, if the "Cancel" key is pushed, a decision is made (Step ST 18) as to whether or not the betting data stored in above-mentioned RAM portion 15 has already been transmitted to the computer of the horserace betting slip sales center. In case the transmission has not yet been made, display control processing is done (Step ST 19) in accordance with the betting data, as shown in Figure 18, and a summary of the bet details is displayed on the screen. Here, to cancel the bet, the "#" key is pushed, in accordance with messages in the lower part of the display screen. In other words, upon

pushing the "#" key, after pushing the "cancel" key, processing to cancel the betting data and processing to cancel display of that data take place (Steps ST 20, ST 21), that betting data is erased from RAM portion 15, and as shown in Figure 19, the display relating to the bet is erased from the screen. Further, because this cancellation is very important, confirmation processing may be added, to perform a check when such cancellation processing is done. In the case that the bet which one wishes to cancel has already been transmitted to the promoter side, error display processing is performed (Step ST 22) and, for example, the message "already transmitted" is displayed on the screen. Next, after the cancellation processing and error display processing have been executed, [the system] returns to Step ST 2 and goes into a standby mode awaiting the pushing of a function selection ("Function") key.

Next, in the flow chart of Figure 9, when the "change" key is pushed, a decision is made (Step ST 23) as to whether or not [the system] is currently in the midst of bet placement. If a bet is being placed, display control processing of a "bet change" screen is done, as shown in Figure 20, and display control processing (color change) is done to designate the number of the subject race (Step ST 24). Here, "race number change" display processing is done by operating the "+" and "-" keys of the function key group 28 (Step ST 25), increasing or decreasing that race number,

and the input screen for betting on the race whose number has been selected is displayed on the screen. In addition, the actions for changing the race number are performed or, in the case of being in the midst of inputting a bet, [the system] returns to Step ST 14 and Steps ST 10 through ST 13 are repeated until inputting of that bet is completed in accordance with the messages in the lower part of the display screen. In other words, betting on several races can be done, or additional bets may be placed on the race currently being inputted. Moreover, confirmation of changes to the race number and bet displayed on the screen can be done. In this way, upon placing the desired bet, the data for that bet is stored temporarily in RAM portion 15. After inputting is completed (Step ST 14), upon pushing the abovementioned "Transmit" key (Step ST 15), the transmission subroutine starts.

Next, in the transmission sub-routine shown in Figure 7, upon pushing the "Transmit" key, a decision is made (Step ST 26) as to whether or not the member number (number of the subject at-home betting apparatus) has been inputted or not, and if it has not been inputted, display processing for "member number input screen" is performed, as shown in Figure 21 (Step ST 27). There, following the messages in the lower part of the display screen, the subject member number is inputted. For example, "1 2 3 4 5 6," are

successively inputted using the number keys (Step ST 28), whereupon "1 2 3 4 5 6" is displayed on the display screen, as shown in the same figure, and also registration of that number (storage in RAM portion 15) is done. That member number is compared to the number of the subject at-home betting apparatus and in the case of a mistake in inputting, an error decision is made (Step ST 29) and [the system] returns to Step ST 28 and waits for re-inputting of the member number. This is to prevent third parties from using the subject at-home betting apparatus. Furthermore, after power for the at-home betting apparatus is turned on, once the member number has been inputted, that number will thereafter be automatically displayed on the above-mentioned transmission display screen. Upon inputting an error-free member number in this way, as shown in Figure 22, display processing for the "subscriber ID number input screen" is done (Step ST 29). Upon inputting the subject ID number, in accordance with messages in the lower part of the display screen, for example successively pushing number keys " \* \* \* \* " (Step ST 31), the display for transmission appears on the screen, as shown in Figure 23. There, upon pushing the "Transmit" key of function key group 28, in accordance with messages in the lower part of the display screen, automatic dialing control processing is performed (Step ST 32) to enable communication with the horserace betting slip sales center. Whereupon, a dial signal is

transmitted from the subject at-home betting apparatus, via I/F portion 23 and NCU 16. Upon arrival of that dial signal a communication line is connected between the subject athome betting apparatus and that horserace betting slip sales center, and the data necessary for purchasing a betting slip is transmitted from the subject at-home betting apparatus via I/F portion 24, modem portion 17, and NCU 16. This data transmission may be done for example as a batch, in the packet format, and upon receipt of that packet data at the betting slip sales center, a transmission is made back to the subject at-home betting apparatus to the effect that the bet has been received. Upon receipt of that information via NCU 16, modem 17, and I/F portion 24, a decision is made as to whether that communication was normal or not (Step ST 33). If no communication errors have occurred in the abovementioned communication, a decision is made, based on the information transmitted from the horserace betting slip sales center, as to whether or not that horserace bet has been received in error (Step ST 34). If there has been no mistake, the bet receipt number from the betting slip sales center, the number of betting slips purchased, the monetary amount, a "transmission complete" [message], etc. are displayed on the screen (Step ST 34). On the other hand, if the decision is made that a communications error has occurred in Step ST 33, there may be cases, for example when the betting deadline has passed, when the bet communication

will not be accepted. In such cases, a message to the effect that there has been a communications error will be displayed on the screen (Step ST 36), and afterwards a decision will be made as to whether or not it is necessary to re-transmit the horserace bet data (Step ST 36). cases where the above-mentioned deadline has passed, resulting in a communications error, transmission is terminated without transmitting the data for that bet. Communications errors may occur due to various other reasons, and in cases where the bet data was not transmitted [correctly] to the horserace betting slip sales center, retransmission of the bet data will be started. In this way bets are received at the horserace betting slip sales center, or if that communication is terminated, it is treated as though transmission of the data needed for bet purchasing has been completed and [the system] returns to Step ST 2, in a standby state, waiting for operation of function key group 28.

Next, in the inquiry sub-routine shown in Figure 10, upon pushing the "Inquiry" key of function key group 28, display processing of the inquiry menus is done, as shown in Figure 24 (Step ST 39). When one of the menus is selected by pushing the number key and the "#" key, following the messages in the lower part of the display screen, a decision is made as to whether or not the member number has been

inputted (Step ST 40). In case the member number has not been inputted, as shown in Figure 21, display processing of "member number inputting screen" is done (Step ST 41) in the same way as in the case of the transmission sub-routine shown in Figure 7. Following the messages in the lower part of the display screen, the subject member number, for example "1 2 3 4 5 6," is inputted using the number keys (Step ST 42), whereupon "1 2 3 4 5 6" is inputted on the display screen (as shown in the same figure) and registration of that number is done. In case that member number has been mistakenly inputted, an error decision is made (Step ST 43), and [the system] returns to Step ST 42 and awaits re-inputting of the member number. Furthermore, after power for the subject at-home betting apparatus is turned on, once the member number has been inputted, that number will thereafter be automatically displayed on the above-mentioned transmission display screen. Upon inputting an error-free member number in this way, as shown in Figure 22, display processing for the "subscriber ID number input screen" is done (Step ST 44). Upon inputting the subject ID number, in accordance with messages in the lower part of the display screen, for example successively pushing number keys " \* \* \* \* " (Step ST 45), the member number and ID number are displayed on the screen, as shown in the same figure. There, upon pushing the "Inquiry" key of function key group 28, in accordance with messages in the lower part of the

display screen, automatic dialing control processing is performed (Step ST 46) to enable calling and communicating with the horserace betting slip sales center. Whereupon, a dial signal is transmitted from the subject at-home betting apparatus and that dial signal is sent to the horserace betting slip sales center via a telephone line. arrival of that dial signal at the horserace betting slip sales center, a communication line is connected between the subject at-home betting apparatus and that horserace betting slip sales center, and the inquiry data for a balance inquiry is transmitted from the subject at-home betting apparatus. At the horserace betting slip sales center, based on that balance inquiry data, balance information data is read from the member's specified registered account and transmitted. That balance information data is received and stored in RAM 15, and communication is completed (Step ST Whereupon, a decision is made as to whether that communication was normal or not (Step ST 48). If no communication errors have occurred, balance display processing is done (Step ST 49), as shown in Figure 25, based on above-mentioned balance information data. Also, in case "3, win" is selected, win inquiry data is sent from the subject at-home betting apparatus. Based on that data, the horserace betting slip sales center sends information data on the race number, horse number (combination win, win, place), monetary amount purchased, payback amount, etc. for

any wins among the betting slips purchased by that member. In this way, as shown in Figure 26, win display processing is done (Step ST 34), based on information data transmitted from the horserace betting slip sales center through the above-mentioned communication. On the other hand, in case it is determined that a communication error has occurred in Step ST 48, for whatever the reason, there may be cases where the communication cannot be accomplished. In those cases, a message is displayed on the screen to the effect that a communication error has occurred (Step ST 50), and afterward, a decision is made (Step ST 51) as to whether it is necessary to transmit the inquiry again. In case it is not necessary to transmit the inquiry data again, transmission is considered complete as it is, without performing transmission [again]. However, in case it is determined that it is necessary to re-transmit the inquiry data, communication is initiated as described above. completion of inquiry data transmission in this way, [the system] returns to Step ST 2 and is put in a standby state, awaiting operation of the function key group 28.

Next, in the display sub-routine of Figure 11, upon pushing the "Display" key of the function key group 28, a decision is made (Step ST 52) as to whether or not the teletext broadcast is being normally received. This is based on a reception status information signal inputted via I/F

portion 22. If there is normal signal reception at the tele-text broadcast reception portion 2, a decision is made, from the information of the horserace program of the teletext broadcast, as to whether or not a horserace is being held today (Step ST 53). Next, in the case that it is a racing day at that racetrack, a decision is made as to whether or not horserace information is being displayed on the screen (Step ST 54). If that display is not being done, display processing for the track name selection screen is done, as shown in Figure 27 (Step ST 55). This is because, in cases where display processing of various kinds of horseracing information, etc. has already been done, the initial settings for such displays will already have been made. There, display processing of the display menu screen is done (Step ST 57) by following the messages in the lower part of the screen, as shown in Figure 28, for example pushing the specified number key and next pushing the "#" key (Step ST 56). Furthermore, by following the messages in the lower part of the screen, for example pushing the "1" number key and the "#" key (Step ST 58) [the system] is placed in the "odds information display mode," and if for example the "Combination win" key is pushed, odds display processing (for example, the odds of a combination win in the 10<sup>th</sup> race) is done (Step ST 59), as shown in Figure 29. At this time, the combination win odds information displayed on the screen is based on the most recent data from the

tele-text broadcast horserace program. This is because, for fans, for example when purchasing horserace betting slips [i.e. placing bets], odds information is an extremely important criterion. Here, by operating the "+" key or "-" key of the function key group 28, the race number can be increased or decreased and race odds information is displayed on the screen according to [the race number selected by] this operation. In addition, if instead of pushing the "Combination win" key, "Win" or "Place" are pushed, odds information display processing will be done in accordance with that action, and as shown in Figure 30, odds information is displayed on the screen (Step ST 59) in the same way as display of the above-mentioned odds for a combination win.

In addition, in the above-mentioned Step ST 58, if number key "4" is pushed a "horse weight and scratches" display mode 6 is selected and, as shown in Figure 31, "horse weight and scratches" display processing is done (Step ST 59) for the subject race (for example, the tenth race). Shown on the screen is the weight of each horse in the tenth race and the difference in that weight compared to the horse's previous race. Moreover, in the same way as described above, if the "+" key or "-" key of function group 28 is pushed, the race number is increased or decreased and the weight of each horse [in that race] and weight

difference compared to previous race, etc. are displayed on the screen (Step ST 59) according to [the race number selected by] this operation. In addition, in abovementioned Step ST 58, by operating other number keys, for example based on information from the horserace program, display processing is performed according to the operation of those keys, and race results (the performance of the horses and the payback amounts), etc. are displayed on the screen (Step ST 59).

After performing this kind of display control processing, [the system] returns to Step ST 2 and waits for input via a function select key. That is, even when the above-described odds information, etc. is displayed on the screen, if any one of the "Bet," "Inquiry," "Display," keys of the function key group 28 is operated [pushed], [the system] will go into a new mode in response to that operation. On the other hand, in Step ST 52, if the teletext broadcast is not being received normally by the teletext broadcast receiving portion 2, error message display processing is done and a message is displayed on the screen as notification to that effect. In addition, in Step ST 53, in case a determination is made that it is not a race day, error message display processing is done and a message is displayed on the screen as notification to that effect. Moreover, along with that error message, the date of the

next race may be displayed. After performing error message display processing in this way, [the system] returns to Step ST 2 and waits for input via a function select key.

Next, in the "Betting A" sub-routine shown in Figure 6, upon pushing the "Odds / Bet" key of the function key group 28, as shown in Figure 32, display processing of [a] odds information based on the latest information of the horseracing program and [b] the betting screen will be performed, and the subject race (for example, combination win odds for the tenth race) will be displayed on the screen. Here, bets may be placed on horses in the subject race by operating number keys and the "#" key, following messages in the lower part of the screen. That is, by pushing the "1," "3," and "#" keys, the color of the "1 - 3" part [of the display] changes, as shown in the same figure. Additional bets on other horses, such as "2 - 3," etc. can also be inputted. Furthermore, by operating the "+" and "-" keys of the function key group 28, the race number is increased or decreased, and in response to that operation, the odds information for that race is displayed on the screen. In addition, if the "Win" or "Place" key is pushed, odds information display processing is done in response to that operation and, as shown in Figure 33, the win odds or place odds information is displayed on the screen, in the same manner as the above-mentioned display of "combination

win" odds. In this way, by returning to the bet input screen after the bet is inputted, the monetary amount of that bet, etc. can be inputted.

Furthermore, in Step ST 58 of the display sub-routine shown in above-mentioned Figure 11, if "1, odds" is selected, by pushing the "Odds / Bet" key of function key group 28, as shown in Figure 32, display processing for the odds/betting screen will be performed in the same way as described above. The subject race (for example, the "combination win" odds of the tenth race) is displayed on the screen and bets can be placed. Moreover, any type of bet, "combination win," "win," or "place," can be inputted for the desired race.

In this way, with "odds / betting", one can select horse numbers while viewing the odds screen and then can place bets by returning to the bet inputting screen and inputting the monetary amount to be purchased [i.e. to be bet]. Thus, by pushing the "Odds / Bet" key, one can move from the odds display screen to the odds / betting screen, or from the betting screen to the odds / betting screen. Likewise, to return to the odds screen from the odds / betting screen, the "Display" key is pushed, while to return to the betting screen from the odds / betting screen, the "Bet" key is pushed. In the example described above,

operation is generally as shown in the flow chart of Figure 12.

Because the data necessary for placing horserace bets on the desired race is transmitted as a batch in this way, the usage time of telephone lines is shortened and a larger number of members can purchase horserace betting slips.

# (Effect of the Invention)

As described above, the at-home betting apparatus of the present invention has [a] a tele-text broadcast receiving function for receiving tele-text broadcasts and [b] a betting function which [i] displays on a television screen, also displaying that tele-text broadcast, horserace information (odds, etc. for each race), results of those races, bets, status of bets, etc. and [ii] by performing a transmission operation after betting operations are done on that display screen, transmits the data necessary for purchasing a horserace betting slip [i.e. placing a bet] to the horserace betting slip sales center, via a telephone line. As a result, when one places a bet at home, because transmission of the data for purchasing that betting slip is sent in one batch, for example in packet format, telephone line usage time is reduced and the number of at-home betting apparatuses which can be connected to a horserace betting slip sales center can be increased, so that more racing fans

can purchase betting slips. In addition, because with the present invention, the latest information from tele-text broadcasted horseracing programs is stored, the effect is that fans can obtain the latest racing information whenever they need it and can refer to this latest information in placing bets.

## 4. A Brief Description of the Drawings

Figure 1 is a summary block diagram of the at-home betting apparatus, showing one embodiment of the present invention.

Figure 2 is a front view of the RKP (Remote Key Pad) used in said at-home betting apparatus.

Figures 3 and 4 are front and rear views of said athome betting apparatus.

Figures 5 through 12 are flow charts for describing the operation of said at-home betting apparatus.

Figures 13 through 33 are diagrams of the display status of the television screen depending on the display processing of said at-home betting apparatus.

```
In the figures,
1 is the antenna
2 is the tele-text receiving portion
3 is the horserace betting control portion
4 is the RKP (Remote Key Pad; remote control)
5 is the tuner portion
6 is the DRT portion
7 is the RAM portion (of tele-text receiving portion 2)
8 is the shared memory portion
9 is the CPU (of tele-text receiving portion 2)
10 is the ROM portion (of tele-text receiving portion 2)
11 is the bus (of tele-text receiving portion 2)
12 is the IDT portion
13 is the RF modulator
14 is the photo-receptor portion and the I/F portion
15 is the RAM portion (of horserace betting control portion
3)
16 is the NCU (Network Control Unit)
17 is the modem portion
18 is the CPU (of horserace betting control portion 3)
19 is the ROM portion (of horserace betting control portion
3)
20 is the bus (of horserace betting control portion 3)
21, 22, 23, 24 are I/F portions
25 is the memory card
```

26 is the memory card connecting portion

Patent applicant: Fujitsu General, Ltd.

Agent: Attorney Takuya Ohara

#### • KEY TO FIGURES

- a) Figure 1
- 3 Horserace betting control portion
- 5 Tuner portion
- 6 DRT portion
- 7,15 RAM portion
- 8 Shared memory portion
- 10 ROM portion
- 12 IDT portion
- 13 RF modulator
- b Printer output terminal 12a
- c Video output terminal (and 21-pin connector) 12b (12d)
- d Audio output terminal 12c
- e RF output terminal 13a
- f Tele-text broadcast receiving portion
- 17 Modem portion
- 19 ROM portion
- 21 I/F portion (for bus use)
- 22, 23, 24 I/F portion
- 25 Card
- 26 Memory card readout portion
- g Telephone line
- 14. Light receiving portion and I/F portion

# a Figure 2

27

Telephone line	BGM	Channel	
[Illegible]		٨	V
Magazine	Сору	Stop/repeat	Table of
			Contents
Television	Tele-text broadcast [Illegible]	Fan B	Superimposed text/ sub- title [Illegible]

28

Program [Illegible]		Page	
+	<del>-</del>	<	>
Bet	Display	Odds / Bet	Inquiry
Transmit (Send)	Cancel	[illegible]	Change

29 [see original for numbers and symbols]

	Combination win	Win	Place
7	8	9	10,000
4	5	6	1000
1	2	3	100
*	0	#	¥

- b Figure 3
- 26a Card insertion slot
- c Figure 4
- la Antenna
- 12a Printer
- 12b Video
- 12c Audio
- 16a [Telephone] line
- a Figure 5
- b Turn on power
- ST 1 Title display

```
Function select
ST 2 Function select
ST 3 Execute bet?
ST 4 Execute inquiry?
d
     Bet
e
     Inquiry
f
     Display
ST 5 In the midst of betting?
ST 6 Bet [Illegible] establishing complete?
ST 7 Display betting screen
        • track name
        • sales category
          selection
          Select
ST 8
     Return to previous mode
g
     Bet A
i
     Figure 6
     Bet A
ST 9 Normal [Illegible] bet input
     Display the screen
ST 10 Input
     Combination win / win / place
     [illegible], monetary amount
ST 11
          Horse scratched?
ST 12
          Inquiry: [balance] 0 or below?
          Communication error?
ST 13
          Bet confirmation
ST 14
          Input complete?
ST 15
          Execute bet?
ST 16
          Terminate bet?
ST 17
          Change race?
1
          Transmit
          Cancel
m
          Change
n
0
          Function select
          Figure 7
a
b
          Transmit
ST 26
          Member number inputting complete?
          (inputted)
          Display member number input screen
ST 27
ST 28
          Input member number
ST 29
          Error?
```

```
ST 30
          Display ID number input screen
ST 31
          Input ID number
ST 32
          Automatic dial
ST 33
          Communication
d
          Center
ST 34
          Communication error?
ST 35
          Input error?
ST 36
          Display "OK"
          Confirm bet
ST 37
          Error display
ST 38
          Repeat execution?
f
          Function select
          Figure 8
a
          Cancel
b
ST 18
          Prior to transmission?
          (inputted)
ST 19
          Display a summary of bet details
ST 20
          Erase data
ST 21
          Display the cancel screen
          Function select
d
ST 22
          Error display
          Figure 9
е
f
          Change
ST 23
          In the midst of a bet?
ST 24
          Display betting screen
ST 25
          Change between race / betting modes
          Bet confirmation
g
          Figure 10
a
b
          Inquiry
ST 39
          Display the menu screen
ST 40
          Member number inputted?
С
          (inputted)
          Display member number input screen
ST 41
ST 42
          Input member number
ST 43
          Error?
ST 44
          Display ID number input screen
ST 45
          Input ID number
ST 46
          Automatic dial
ST 47
          Communication
d
          Center
          Communication error?
ST 48
ST 49
          Display the balance, etc.
```

Error display ST 50 ST 51 Repeat execution? Function select e Figure 11 а Display b Function select С Normal reception of tele-text broadcast? ST 52 ST 53 Day of race? Has this already been displayed? ST 54 ST 55 Display track name selection screen ST 56 Select ST 57 Display menu screen ST 58 Select ST 59

### Display the following information:

- Combination win odds for this race
- Win / place odds for this race
- Advance sales combination win odds
- Advance sales win / place odds
- Odds on advance sales for next day's races [right column:]
- Horse weight, scratches (cancellations)
- Racing performance, payback amounts
- Weather, track condition
- Bracket order display
- ST 60 Error message
- ST 61 Error message
- d Function select
- 1 Figure 12
- 2 Bet
- 3 Function select
- 4 Inquiry
- 5 Track name selection screen Figure 14, Figure 15
- 6 Display
- 7 Track name selection screen Figure 27
- 8 Display
- 9 Inquiry
- 10 Bet
- 11, 11a Track selection
- 12 Betting screen Figure 16, Figure 17

- 13 Display menu screen Figure 28
- 14 Odds selection
- Odds screen for combination win Figure 29
- 16 Win / place
- 17 Win (place) Odds screen Figure 30
- 18 Combination
- 19 Odds betting
- 20 Bet
- 21 Display
- 22 Odds betting
- 23 Combination win Odds betting screen Figure 32
- 24 Win / place
- 25 Combination
- 26 Win (place)
  Odds / betting screen
  Figure 33
- 1 Figure 13
- Bet, inquiry, display Select by key.
- 3 Figure 14
- 4 Betting
  - a) Track name
  - 1. Sapporo
  - 2. Hakodate
  - 3. Niiqata
  - 4. Fukushima
  - 5. Nakayama
  - 6. Tokyo
  - 7. Chukyo
  - 8. Kyoto
  - 9. Hanshin
  - 10. Ogura
  - b) Sales category
  - 1. Sales for today's races
  - 2. Advance sales
  - c) Please select a track name.

- 5 Figure 15
- 6 Betting
  - a) Track name
  - 1. Sapporo
  - 2. Hakodate
  - 3. Niigata
  - 4. Fukushima
  - 5. Nakayama
  - 6. Tokyo
  - 7. Chukyo
  - 8. Kyoto
  - 9. Hanshin
  - 10. Ogura
  - b) Sales category
  - 1. Sales for today's races
  - 2. Advance sales
  - c) Please select a sales category.
- 1 Figure 16
- Tokyo tenth race normal
  bet type number monetary amount ¥ Odds
  Popularity

Total Balance ¥350,000 Please input a bet type.

- 3 Figure 17
- 4 Tokyo tenth race normal current time: 11:41
- a Consecutive win
- b Single
- c multiple
- d Total 195,000 Balance ¥350,000 Please press "bet type" or function key.
- 5 Figure 18
- 6 Tokyo tenth race normal
- a Consecutive win
- b Single
- c multiple
- d Total 195,000 Balance ¥350,000 Please press the # key.

- 1 Figure 19
- 2 Tokyo tenth race normal

Please press a function key.

- 3 Figure 20
- 6 Tokyo tenth race normal
- a Combination win
- b Win
- c Place
- d Total 195,000 Balance ¥350,000 Please enter the race number.
- 5 Figure 21
- 6 Transmit

Member number 123456

Please enter member number.

- 1 Figure 22
- 2 Transmit

Member number 123456

ID number \*\*\*\*

Please enter ID number.

- 3 Figure 23
- 4 Transmit

Receipt number Number of slips purchased: 1,950 Total 195,000¥ Balance ¥155,000

Please push a function key.

- 5 Figure 24
- 6 Inquiry menu
  - Today's betting history [Illegible]
  - 2. Balance
  - 3. Wins

Please select a menu.

- 1 Figure 25
- 2 Inquiry

Your balance is ¥155,000.

Please press a function key.

3 Figure 26

Win "Big Win!!" Tokyo 8<sup>th</sup> race 3 - 4 [combination win] ¥100,000 Payback rate 8.7 Payback amount: ¥870,000

- 5 Figure 27
- 6 Display

Track name:

- 1. Tokyo
- 2. Kyoto
- 3. Fukushima
- 4. Nihon Derby ([illegible] race name)
- 5. Emperor's Cup ([illegible] race name)

Please enter the number of the track name.

- Figure 28 1
- Display menu 2
  - 1. Odds
  - 2. bracket
  - 3. Competitive performance, payback amount
  - 4. Weights of horses, scratches
  - 5. Weather, track condition

Please select a menu.

- Figure 29 3
- Tokyo 10<sup>th</sup> race Combination win Current time: 11:41 4
- Figure 30 5
- Tokyo 10<sup>th</sup> race Win Current time: 11:41 6
- Figure 31 1
- Tokyo 10<sup>th</sup> race Weights of horses Clear weather/grass/good condition
- 3 Figure 32
- Tokyo 10<sup>th</sup> race Current time: 9:23 4
  - a) please select a combination.
- 5 Figure 33
- Tokyo 10<sup>th</sup> Race Current time: 9:23 6 b) Please select a horse number.

- (72) Inventor Junichi Hashimoto c/o Fujitsu General
  Suenaga 1116, Takatsu-Ku,
  Kawasaki-shi,
  Kanagawa-ken, Japan
- (72) Inventor Kenichi Yamane c/o Fujitsu General
  Suenaga 1116, Takatsu-Ku,
  Kawasaki-shi,
  Kanagawa-ken, Japan
- (72) Inventor Masahiko Inami c/o Fujitsu General Suenaga 1116, Takatsu-Ku, Kawasaki-shi, Kanagawa-ken, Japan



#### PATENT ABSTRACTS OF JAPAN

(11) Publication number: 02110660 A

(43) Date of publication of application: 23 , 04 , 90

(51) Int. CI

:

G06F 15/28 H04N 7/08

(21) Application number: 63253421

(22) Date of filing: 19 . 10 . 88

(71) Applicant: FUJITSU GENERAL LTD

(72) Inventor:

SUZUKI YASUSHI MAKIMOTO KOJI MINAMI YUJI HASHIMOTO JUNICHI YAMANE KENICHI INAMI MASAHIKO

(54) HOME BETTING DEVICE


(57) Abstract:

PURPOSE: To shorten the time for using a telephone line when a betting ticket is purchased by displaying horse race information by teletext and information by a display processing means on the screen of a television and transmitting betting data to a selling side by a winning horse betting setting means.

CONSTITUTION: Information about a race horse in a prescribed race stored in a RAM part 7 such as the weight, the odds, and the race result of the race horse is displayed on the screen, on which a teletext horse race program, etc., received by a teletext receiving part 2 are to be displayed, by a CPU 9, Further, when winning horse betting is executed by operating a remote key pad (RKP) remote controller 4, winning horse betting data are stored in a RAM 15 of a winning horse betting control part 3, a winning horse number to be purchased, a purchased amount, and an approximate paying back rate and a popularity rank at a current point by the teletext are displayed on the screen, and winning horse betting ticket purchase data are collectively transmitted through an UF part 24, a modern part 17, a network control unit (NCU) 16 to the winning horse

betting ticket selling side by the telephone line in a packet system.

COPYRIGHT: (C)1990,JPO&Japio



⑩日本国特許庁(JP)

(1) 特許出願公開

#### ⑫ 公 開 特 許 公 報 (A)

平2-110660

@Int. Cl. \*

庁内整理番号 鐵別配号

母公開 平成2年(1990)4月23日

G 06 F 15/28 H 04 N 7/08

7165-5B 8838-5C

審査請求 未請求 請求項の数 6 (全18頁)

在宅投票装置 会発明の名称

> 创符 頭 昭63-263421

昭63(1988)10月19日 22出

明

神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ

神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ

裕

浩

神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ

ラル内

株式会社富士通ゼネラ

神奈川県川崎市高津区末長1116番地

弁理士 大原 拓也 ②代 理 人

最終頁に続く

٠).

#### 2. 特許請求の範囲

(1) アンテナにて受けたテレビ領号より、所定 馬番組むを映像信号に変換してテレビジョン等に 出力する文字放送受信手段と、

**B 馬投票に必要な情報のデータを記憶する記憶** 手段と、この記憶手段に記憶されている情報に基 づいて、前記テレビジョンの護菌に必要な情報を 没示する表示処理手段と、 その固固にて所定器馬 投票の恩馬香号、購入金額および時証番号(ID)等 を設定する静馬投禁設定手段と、この静馬投禁設 定手段にて収定された野馬投票を収請回線を介し て野馬投票券発売倒に送信する野馬投票送信手段 とから構成される膠馬投頭手段とを有じ、

前記伊馬投系に際し、御記テレビジョンの韓国 に、文字放送による製馬情報を表示すると共に、 前記表示処理手段にて得られた競馬情報や前記路

馬投票設定手段にて投票された勝馬投票番号等を 表示し、かつ、その語馬投票のデータを解記辞馬 ようにしたことを特徴とする在宅投票数区。

- (2) 前起表示処理手段は数馬場名および辞馬校 示し、前記部馬投鉄設定手段にて所定競馬聯およ - び免児けを放定するようにした請求項(1)記収の
- (3) 前記級示処理手段は、前記數爲投票設定手 段にて設定された勝馬投票の番号、および購入金 の砂馬袋葉番号の蝶算払戻率および人気頭位を前 記聞面に表示するようにした請求項(1)記収の在
- (4): 前記級示処理手段は、前記器局投票設定手 良にて設定された遊節、小路および投跡の野馬校 原治号、その際人金額および合計金額等を投示す るようにした胡求巩(1)紀収の在宅投票製図。
  - (5) 前起挪玛投烧选得华段让前起腰踢投烧数定

手取にて投定された伊場投棋のレース番号、伊馬 番号、陳入牧散(金額)、当様在宅投展製理の加入 番号と時証番号およびその他超場投票に必要なデ ータを前記母母投票券免光側に一括して送信する ようにした結束項(1)記載の在宅投票装置。

(6) 前記録馬投票数定手及はリモコンであり、 前記録馬投票制御手段には、そのリモコン信号を 受ける受光手段が設けられている請求項(1)記録 の在宅投票数据。

#### 3. 免明の即期な説明

#### 【磁楽上の利用分野】

この免明は、電話回線を介して母馬数様ができる在宅投票費に続り、更に詳しくは文字放送の競馬者和を受信し、競馬者組あるいはその競馬者組よりの設馬前報を設示して、伊馬投票の参考にすることができ、その母馬投票が購入時における電話回線の使用時間を減少させることができる在宅投票費買に関するものである。

#### 【徒 來 例】

従来、 選馬投所券を購入する場合、 間値競馬場

称を入力するようなっている。そのため、毎周投 類に時間がかかり、世話回線の使用時間が及くなってしまうという問題点があった。しかも、発発 側コンピュータと接続できる难話付は数が決まっ ているため、その発発側コンピュータと接続が行 なわれない場合もあり、特にレースの時切時間近 くになると、調人者が投到することもあって、歴 場投点券が購入できないケースもある。

また、CRT方式は、加入者が世話投資消の係 以と直接地話で毎馬投票券購入の申し込みを行な うようになっている。この場合、係具は整理線や (CRT)に設示された砂馬データをあに加入者に 応答し、砂馬投票の申し込みを受け、投票券を破 人することになる。しかし、口頭による購入であ るため、上記ARS方式より購入砂馬投票券の購入に間違いが発生したり、また場合取りにくい等 の思からその購入に時間がかかり、上記何様の問 起点があった。

一方、ファンにとって母母投媒券を購入するに 原し、競馬専門板と共に、既算払戻事(オッズ等) おしくは場外馬券免税所に出向き、その野場役員 券免売所の窓口にて現金で購入するのが一般的で あるが、その野馬投票券の購入には手間がかかる ため、例えばファンサービスの一刻として、 電話 でその野馬投票券が購入できるシステムが災後さ れるようになった。

この世話投資システムにはARS方式、CRT方式があり、これらはシステム加入者が主傷者側と及約を結び、例えば主職者側の指定する銀行に本人名義の普通額金を開設し、阿時に定期額金(例えば鉱逝10万、20万、30万等)を設け、一方主傷側がその資金を担保として買り、その金額を移場及及の購入限度額に改めている。これにより、その加入者である追称地のファンは世話で、済望の超過投票がを購入することができる。

#### [発明が解決しようとする課題]

ところで、上記世話投票システムおいて、 A R S 方式は、 加入者がブッシュフォン電話後のボタンを操作し、 勝馬投票の発券側コンピュータと接 校してから、 さらに 別定ボタン操作により投票内

の情報が極めて食災な事者受料である。しかし、 関値されている競馬場に直接行っている者には、 場内のオッズ得示版にてその情報を知ることがで きるが、在宅投票者には、例えばラジオ放送、テ レビ放送等によるオッズ情報を参考にするしかな

しかしながら、それら放送は、希望する時刻に そのオッズ等の必要な情報を救えてくれるとは限 らないため、課人者にとっては不便な点が多々あ

この発明は上記問題点に繋みなされたものであり、 その目的は野馬投談券の際入時における世話 耐線の使用時間を短くすることができ、より多く のファンによる野馬投談券の際入を可能とすると 共に、オッズ等の競馬情報を必要に応じて得るこ とができるようにした在宅投票装置を総供するこ とにある。

#### [胡姐を解決するための手段]

上記目的を達成するために、この発明の在宅投 景製以は、アンテナにて受けたテレビ信号より、

#### 特開平2-110660(3)

所定チャネルの文字放送を受信し、その文字放送 の負馬番組等を映像信号に要換してテレビジョン 等に出力する文字放送受信手段と、膠馬投票に必 要な情報のデータを記憶する情報記憶手段と、こ の情報記憶手段に記憶されている情報に基づいて、 上記テレビジョンの図面に必要な情報を表示する 表示処理手段と、その図面にて所定器馬投票の段 爲香马、購入金額および韓証香号(ID)等を設定す る野馬投票設定手段と、この野馬投票設定手段に て設定された静原投媒を電話回線を介して静場投 展券発売側に送信する野馬担緊送信手段とから報 成される野馬投票手段とを有し、上記辞爲投禁に 讃し、上記テレビジョンの祖聞に、文字放送によ る韓馬情報を表示すると共に、上記表示処理手段 にて得られた韓馬情報や前記郡馬校及設定手段に て投展された野馬投票番号等を表示し、かつ、そ の野馬投票のデータを前記野馬投票券発売側に送 信し、その野馬投票が行なえるようにしたことを

[作用]

このように、上記留面に扱示されている砂馬校 原に間違いないことを確認した上で、砂馬投票送 信手段を制御することにより、所定砂馬投票券是 光図と間で通信が開始される。すなわち、当該在 宅投票装置からの砂馬投票券購入データが電話回 線を介してパケット形式で一括に送信されるため、 その電話回線の使用時間が短くて済み、より多く の在宅投票装置がその砂馬投票券発売側と回線換 残されるようになる。

.

4

•

【实 施 例】

以下、この発明の実施例を図断に基づいて設明する。

第1周乃至所4箇において、この在宅投展観察には、アンテナ1にて受けたテレビ放送の文字放送を受信し、その文字放送をテレビジョンの顧面等に表示する文字放送を信息2と、房馬投票のための房馬番号や購入金額を設定する設定機能、文字放送の愛馬番組よりの数馬情報(オッズ等)および房馬投票に必要な情報を上記額箇に表示するための表示処理機能、房馬投票券購入データを取締

上記構成としたので、上記文字放送受信部にて 受信された文字放送の競馬番組等が表示される図 固には、上記記位手段に記憶されている母馬投兵 に必要な情報、所定レースにおける競走馬の体質、 オッズ(近回、単語および収録)およびレース結果 なが投示される。 そのような競馬情報を参考とし て、上記別馬投票設定手段(RKP;リモコン)にて膝 馬投票操作を行なうと、上記園園にはその野路投 既に必要なメッセージが殺示される。 そのメッセ ージにしたがってその呼爲投媒設定手段を操作す ることにより、上記留面には購入する静爲命号。 巡想であれば「1~3」、単層あるいは投源であれ ば「16」が表示され、さらにその参号の並びに防入 金獻「10,000」が我示される。しかも、その賀叫に は、現時点における勝入勝馬投票番号の概算払展 半と人気肌が表示される。 また、上記野馬投類数 定手段にてその身馬投票の取り消し、 袋更(レー ス、身爲指导、群入金鳳等)を行なうと、上記録 節に投示されている原爲投系を与、購入金額等が 消え、あるいは変更される。

図線を介して原場投展券発売センター側に送信する送信機能、その原馬投展券の当たり等を関合せる風会機能およびリモコン信号にて動作するりモコン後砲等を有する原馬投展制御部3とが設けられている。この実施例においては、この在宅投票役割はRKP(リモート キー パット;リモコン)4の機作により動作するようになっている。

文字放送受信部2には、所定チャネルのテレビ放送、文字放送を受信して映像信号を取り出すチューナ部5と、その映像信号を取り出すのRT(Data Regenerator for Tele-text)部6と、その文字放送データを配位するRAM部7と、図示しないテレビジョン調団の表示データやび声チータが記憶される共和メモリ部8と、それらデータの読み出し、書き込みおよび記送等の調御を行なうCPU(マイクロコンピュータ)9と、このCPU9の割削プログラム等が記憶されているROM部10と、DRT部6、RAM部7、共和メモリ部8、CPU9およびROM部10と、DRT部6、RAM部7、共和メモリ部8、CPU9およびROM部10を複談するバス11と、CPU9あるいは放送するCPU18からの命令にて上記共和

#### 特開平2-110660 (4)

メモリ局8に危惧されている表示/各声データを映像/各声値分として出力すると共に、プリンタに出力するIUT(Intelligent Decodor for Tele-text)局12と、それら映像/各声値分をRF変調するRF変調過13とが設けられている。なお、上記RAM部7には、CPU9のフークRAMも含まれている。

野馬投展制御部3には、RKP4からのリモコンは今を受信するための受光部およびL/F部14と、

西馬投展に必要な情報や静馬投展データ等を記憶するRAM部15と、電話回線を介して静馬投展が発発がセンター(コンピュータ)側と接続するためのNCU( Matvork Control Unit)16と、このNCU16を介してデータ等の送受信を行なうモデム部17と、RKP4の操作に応じ、静馬投展制御や設示制御知風を行なうためのCPU(マイクロコンピュータ)18と、このCPU18の制御プログラム等が記憶されるROK部19と、受光部およびL/F部14、RAM部15、CPU18およびROX部19等を接続するパス20と、このパス20と文字放送受信部2のパス11とを接続するI/F部21と、チューナ部5からの受信状況の情報信号を

4

٠.

...

....

. .

· 作用或母亲

および1/17部14の文光部14 a と、上記メモリカード25の ib 人口26 a とが設けられている。また、第4 間に示されるように、上記在宅投系袋区の背面には、アンテナ1 が接続されるアンテナ用コネクタ 1 a と、上記10 T 部12のプリンタ IC カスクタ 1 2 a と、その映像出力用のコネクタ 1 2 a と、その映像出力用のコネクタ 1 2 a と、その映像出力用のコネクタ 1 2 a と、その映像出力用のコネクタ 1 3 a と、世話回線の接続用のコネクタ 1 5 a とが設けられている。これにより、10 T 和1 2 からの映像借分は映像出力用のコネクタ 1 2 d を介してテレビジョン側に送られ、そのテレビジョンの資面にはその映像が表示される。

次に、上記級以の在宅投票契約の動性を555例 乃並第12回のフローチャートおよび第13回乃並第 33回のテレビ劇画の表示状態値によづいて説明する。

まず、当該宅投資製図の扱者等により既に競馬の主信者との間で契約が行なわれており、その任

入力するためのI/F部22と、MCU16、モデム部17と パス20との間でインターフェイスをとるためのI/ F部23、24と、野馬投獄に関する酸々ソフトが記 環されているメモリカード25と、そのソフトを認 み取るメモリカード放取部26とが設けられている。 なお、上記RAM部15はCPU18のワークRAMを貸入、 電池によりパックアップされている。

REP 4 は、テレビジョンボのリモコンと四様に、 赤外線のリモコン信号を発光するものであり、こ のREP 4 には、第2回に示されるように、文字放 送の受信、即馬及異身を明入するための操作年一 が設けられている。操作年一には、例えば「理証」 キー、テレビ放送や文字放送の受信キー等のテレビ/文字操作キー群27と、競馬情報や静馬投獄に 必要な表示、投票、送信および風会等を選択する ためのファンクションキー群28と、静馬投資券を 購入するために砂馬番号、金銀および町経番号(1 の)等を入力する購入キー群29とが設けられている。 なお、第3 関に示されるように、上記在宅投票

1

**教权の正面には、世額スイッチ30と、上紀受光部** 

宅投票機区と主傷者例の勝馬投票券売売センター とが世話自線を介して接続されるようになってい るものとする。また、'その在宅投票機区は、世話 回線およびテレビジョンと接続されているものと する。

· · ·

のCPU 9 にて、そのタイトル表示の命令がIDT 即12 に送られると共に、その表示データが共有メモリ 部8に記憶され、画聞には上記タイトル表示が行 なわれる。

ここで、RKP 4 のファンクションキー群28の「投 祭」、「恩会」、「表示」等のうち「登祭」キーが操作 され、REP4からのリモコン信号が即為投票例如 郎3の受光部およびI/P部14を介してCPU18に入力 されると(ステップST 2)、RON邸19の投兵サブル ーチンがスタートされる。そして、現在投算操作 中であるか否かの判断が行なわれ(ステップST3. ST4)、投票操作中でなければ、投票の初期設定 済みかの判断が行なわれる(ステップST5)。すな わち、腰馬投票が御部3にて野馬投票が可能な状 雄となった場合には、第6回に示す投票Aサブル ーチンに違み、その状態になっていない場合には、 编名通识表示处理、 略名(简值数爲卷名)や秃秃区 分(当日、前日発売)の投示処理が行なわれ、例え ばRON部19に記憶されている特名異示データがI/F 部21を介して文字放送受信部2に転送されると共

に、その当名選択設示命令が出力される。その数 示データが共有メモリ部8に記憶されると共に、 その命介がIDTB12に人力され、第14因に示され るように、週間には競馬場名、発光区分等の投票 超逝が設景される(ステップST7)。ここで、例え ば東京競馬場の当日発光を選択する場合には、西 逝下部に投示されているメッセージにしたがって. RKP4の購入キー群19の数字「6」キー、さらに 「ぉ」キーを提作する(ステップST 8 )。すると、CP 1/18にてその選択に応じた表示初毎処理が行なわ れ、第15頃に示されるように、「8.双京」の殺 示部分の色が変えられ、他の部分と見分けられる ようになる。絞いて、上記同様に数字「1」キー、 さらに「#」キーを操作すると(ステップST 8)、双 京競馬場の当日発売の歴馬投票券を購入するため の初期設定が行なわれ、投票Aサブルーチンに進 ひことになる。

このように、層凹の表示にしたがって、RRP4 の機作を行なうことにより、層馬投票朝御節3の CPU18にて毎馬投票の初期設定が発了され、快速

する所定数馬場、所定レースの脚馬投票や所定レースの競馬情報の投示等(投票入力図面の表示)を 行なうことができるようになる。

 $j \in \{$ 

ું

-

•

. . . .

. ...

:

ģ

次に、躬6因のフローチャート図において、上 記初期設定が済むと、勝馬投票制御部3にて、通 常の砂馬投票ができる投票入力遊園の表示処理が 行なわれる(ステップST9)。すなわち、第16週に 示されるように、何えば野馬投票券が除入できる 終切時間の最も近いレースについて、腰馬投票の 式別(追發、単層、複發)が問われる。このとき、 そのレース番号は、例えば解入キー群29の矢印キ 一抵作にてカーソルCを移動し、ファンクション キー存28の「+」、「-」キーにて変更してもよい。 ここで、購入キー群29の「遊路」、「単路」および 「祝母」キーの何れかを操作すると。 祭17回に示さ れるように、そのキー操作に応じた表示制御処理 が行なわれ、蓮面には「レン」、「タン」および「フ ク」等が表示されると共に、その表示に進れてカ ーソルCが移動される。終いて、数字「L」から 「0」のキー操作にて野馬番号を入力すると、その

番号が袋景されると共に、 それに避れてカーソル こが移動される。さらに、その数字中一と「万」、 「午」、「育」、「円」キーとの組合せ操作にて砂局投 競券の金額を入力すると、 その操作に応じた金額 復算処理および扱承処理が行なわれ、同図に示さ れるように、遊びの所定切所にはその金額(合計、 疫苗)が表示される。なお、式削(進移、単語、故 - 財)と静爲奇号が入力されたときには、現に受信 している文字放送の政新額爲措起によるオッズ僧 報に基づいてその概算仏质串および人気関告の段 示処理が行なわれ、頂脳にはその静馬投票数号、 金額と共に、オッズと人気原位が表示される。そ こで、例えば巡暦「1-3」の歴馬投票券を1万円 関入する場合には、関入キー群29の「遊野」キーを 説作した後、「1」と「3」キーを操作し、さらに 「1」と「万」と「円」キーを幾作することになる。こ のようにして、厨馬投票が行なわれた物、その餅 爲投類のレースに出進する競造馬に取消がないか の判断が行なわれる(ステップST!1)。 政術がない 場合には、担保として頂けてある金額の疫路が

.: ·:

「0」以下であるか哲かの判断が行なわれる(ステ ップSTI2)。その母馬投票券を購入できる金額が 残っていると、母馬投票の租番に間違いがないか のエラー検出が行なわれる(ステップST13)。間違 った歴馬投兵が行なわれていなければ、さらに位 の舒爲投票を入力するか否かの判断が行なわれる (ステップST13)。すなわち、第14例に示されるよ うに、阿弼の下部に表示されているメッセージに したがって、ファンクションキー群28の所定キー (「#」キー)が操作されたか否かの判断が行なわれ る(ステップST14)。その所定キー提作が行なわれ ていない場合、ステップST10に及り、阿レースに おける他の辞爲投媒が可能とされる。また、その レースに出走する競逸馬の中に、出走取消馬が発 生している場合、あるいは祖保として別けてある 金額の投店が「0」以下(例えばマイナス)となる場 合には、ステップST10に及って、再び耐馬投媒の 葉が行なえるようになる。

÷;

:2

. .

∷:.

.:

:

続いて、「#」キーが嵌作された後、第18回に示

の下部投示されているメッセージにしたがって 「#」キーを操作する。すなわち。「取消」キー操作 の ひ、「コ」キーを操作すると、 身馬投資データの 政術処理およびその表示政術処理が行なわれ(ス テップST20,ST21)、RAM部15からはその移馬投棋 データが消去され、4519箇に示されるように、福 面からは野馬投鉄に関する表示が消去される。な お、その取消は非常に重要であることから、その 政治処理に際して再確認を行なう確認処理を追加 してもよい。一方、その取り消そうとした勝馬投 点が既に主催者側に遊信されている場合には、エ ラー表示処理が行なわれ(ステップST22)、函函に は、例えば「送信拵み」といったメッセージが表示 される。炊いて、その取消処理あるいはエラー投 永処政が実行された後、ステップST.2 に戻り、機 節道択(ファンクション)キー模作の特機状態とさ

次に、即8回のフローチャートにおいて、「数 更」キーが慢作されると、現在母馬投票の途中で あるか資かの判断が行なわれる(ステップ5123)。 される表示は関にしたがって、ファンクションキー群28の「送信」キーが操作されると(ステップSTI
5)、 第7 可に示す送信サブルーチンがスタートされ、また「政刑」キーが操作された場合(ステップSTI6)、第8 図に示される政刑サブルーチンがスタートされ、さらに「変更」キーが操作された場合(ステップSTI7)、第9 図に示される変更サブルーチンがスタートされる。また、それら「送信」、「政刑」、「変更」キーの何れも操作されないときには、ステップST 2 に戻って上述した第5 週に示す

次に、 第8回のフローチャートにおいて、「取消」キーが操作されると、上記RAM部15に記録されている舒風投展データが既に啓馬投展券発発センターのコンピュータに送信されているかぞかの判断が行なわれる(ステップST18)。 送信前である場合には、 第18回に示されるように、その移場投票データに応じた表示制御処理が行なわれ(ステップST19)、 関連には投票内容の一覧が表示される。ここで、 伊馬投票を取り消すときには、その図過

趙科投媒中である場合には、第20国に示されてい るように、投票の変更調節の設示制物処理。その レース赤分を排定する(色を変える)表示制御処理 が行なわれる(ステップST24)。ここで、ファンク ションキー#28の「+」キーと「-」キーを掛作する と(ステップST25)、そのレース番号がアップ/ダ ウンし、鹿馬投媒のレース番号の変更表示処理が 行なわれ、脳面にはその遊択されたレース番号の 群馬投票の入力調酬が表示される。また、そのレ 一ス番号変更のための操作が行なわれ、あるいは 野馬校県の入力途中である場合にはステップSTI4 に戻り、その砂馬投票の入力が相面下部にメッセ ージにしたがって完了するまで、ステップST10か らST13が繰り返し行なわれる。すなわち、放数の レースについて辞馬投頭を行なうことができ、お るいは別に入力しているレースの顔爲投頭に抜け て、即馬段票を行なうことができる。さらに、そ の頭頭に設示されるレース番号と磨馬投資の変更、 前はも行なうことができる。このようにして、所

型の野馬投票が行なわれると、その野馬投票デー

タは一旦RAM的15に記憶される。その入力が発了 された後(ステップST14)、上記「透信」年一が製作 されると(ステップST15)、送信サブルーチンがス タートされる。

> その「送信」キーが操作されると、加入者命号(当 該在宅投票装配の番号)が入力されている客かが 村斯され(ステップST26)、人力されていない場合。 第21回に示されるように、加入者番号の入力圏町 表示処理が行なわれる(ステップST27)。そこで、 その設示画面の下部のメッセージにしたがって当 技加入者番号、例えば「123456」を順に数字 ヰーにて入力すると(ステップST28)、四回に示さ れるように、表示質面には「123456」が扱 示されると共に、その番号の登録が行なわれる(R AR部15に記憶される)。その加入者番号が当城在 宅投尿装成の番号と比較され、間違って入力され た場合、エラーの判断が行なわれ(ステップS729)、 ステップST29に戻り再度加入者番号の入力符ちと される。すなわち、他人により当該在宅投票装置

を使用できないようにするためである。なお、当 該在宅投票裁監の世級が投入された後、一度その 加入者の分が入力されると、それ以後は上記送信 表示質問にその番号が自動的に表示される。 この ようにして、間違いのない加入者番号が入力され ると、第22回に示されるように、契約者の時証券 号(ID)の入力図面表示処理が行なわれる(ステ ップST29)、その表示質菌の下部のメッセージに したがって当該町証益号、例えば「●●●」を頑 に数字キーにて入力すると(ステップST31)、第23 図に示されるように、図面には送信のための表示 が行なわれる。そこで、固箇下部のメッセージに したがってファンクションキー群28の「遊信」キー を操作すると、房局投展券発売センター側と通信 可能とするための自動ダイヤリング耐御処理が行。 なわれる(ステップST32)。すると、単版在宅投票 製置からはI/P郎23、NCU18を介してダイヤル信号 が送信され、そのダイヤル信号が着信されると、 当該在宅投票装置とその即馬投票券発売センター との通信回線が閉じられ、当該在宅投票製置から

の趙馬投票券購入に必要なデータが1/8部24、モ デム郎17、NCU16を介して送信される。そのデー タ送信は、例えばパケット形式で一折に行なわれ、 日馬投票券発売センター側ではそのパケットデー タを入力すると、股馬投票を受け付けた旨を当該 在宅投票数据に送信することになる。その情報が NCU16、モデム部17、I/F部24を介して受信される と、その通信が正常であったか否かの判断が行な われる(ステップST33)。通信エラーが発生してい なければ、上記通信に際して夏爲投緊券免売セン ターから送信された情報に基づいて、辞馬投媒が 間違って受け付けられていないか否かの判断が行 なわれる(ステップ5734)。間違っていないときに は、辺辺には、発券センターよりの投票受付番号。 される(ステップST34)。一方、ステップST33にて 通信エラーが発生したと判断された場合、例えば ... 原馬投票券の時切時間となり、その原馬投票の道 信が受け付けられないこともある。そこで、顧価 には通信エラーである音のメッセージが投示され

(ステップST36)、その機再以降与馬投展データを送信する必要があるか否かの判断が行なわれる(ステップST36)。上記師切時間が過ぎて、通信エラーである場合には、その時馬投展データの通信を行なわずに送信終了とされる。それ以外の何等かの残由で透信エラーが発生し、静風投展が発生し、静風投展が発をい場合には、再成静馬投展データの通信が出来がない。このようにして、静風投展が発売でい始を一切にでの退投展が受けられ、あるいはその通信が合っての思投展が関係が明入に必要なデータの送信が完了されたものと見なし、ステップST2にたってファンクションキー能28の後作符ち状態とされる。

次に、剪10回に示す風会サブルーチンにおいて、 そのファンクションキーが28の「風会」キーが操作 されると、第24頃に示されるように、風会メニュ ーの表示処理が行なわれる(ステップST39)。その 数が関節の下部のメッセージにしたがって何れか のメニューが数字キーと「3」キーとの操作にて遊

#### 特開平2-110660 (8)

択されると、加入者母母が入力されているか否か の判断が行なわれる(ステップSI40)。 その加入者 春号が入力されていない場合には、路7回に示す 送信サブルーチンの場合と関係、第21回に示され るように、加入者吞号の入力範配表示処理が行な われる(ステップST41)。その長示西道の下部のメ ッセージにしたがって当該加入者呑号、供えば 「123456」が数字キーにて入力されると(ス テップST42)、その炎示値面には、「123456」 が入力され(同詞に示す)、その命号の登録が行な われる。その加入者奇号が間違って人力された場 合、エラーの判断が行なわれ(ステップST43)、ス テップST42に戻り再度加入者番号の人力符ちにさ れる。なお、当該在宅投媒装置の電源が投入され、 一度その加入者番号が入力されると、それ以後は 上記送信表示閩面にその番号が自動的に表示され る。このようにして、間違いのない加入者番号が 人力されると、第22回に示されるように、契約者 の暗証番号(ID)の入力函逝数示処理が行なわれる (ステップST44)。 その & 示磁面の下部のメッセー

ŝ

÷

:

<u>.</u>

 $, \lambda i$ 

 $\omega_{ij}^{**}$ 

ジにしたがって当該幹証希母、例えば「●●●」 を数字キーにて人力すると(ステップST45)、周辺 に示されるように、顧歯にはそれら加入者命号。 吹缸番号が表示される。 そこで、 関節下彫のメッ セージにしたがってファンクションキー俳28の 「瓜会」キーを操作すると、厨房投票券発売センタ ーを呼び出し、通信可能とするための自動ダイヤ リングが行なわれる(ステップST46)。すると、 当 該在宅投票装置からはダイヤル借号が出力され、 そのダイヤルは子は世話回線を介してその母馬投 苁莽充光センターに送られる。 建馬投票券免税セ ンメーにてそのダイヤル信号が疫信されると、当 族在宅投票装置とその静風投票券発売センターの 間の通信団線は閉じられ、当該在宅投票装置から は、投路風会のための風会データが送信される。 移馬改展券発光センターではその投稿風会データ に基づいて加入者の所定登録口座より投稿情報デ ータを刷み出し、送信する。その残高情報データ が受得され、HAN部15に記憶されて通信第7とな ると(ステップST47)、適借が正常であったか否か

の判断が行なわれる(ステップST48)。通信エラー が発生していなければ、第25回に示されるように、 - ・上記技高情報データに基づいて投稿表示处理が行 なわれる(ステップST34)。また、「3 . 的中」が進 択されている場合には、当族在名投源袋匠からは 的中風会データが送信され、そのデータに基づい て辞馬投票券発売センターからは加入者の購入し た野馬投票券の中で的中しているレースの番号。 瓜森身(亚醇、瓜醇、滋醇)、磷入金额、払及金等 の情報データが送信される。これにより、第26回 に示されるように、 上記通信に際して原用投票券 発花センターからの送信僧報データに基づいて的 中汲示処理が行なわれる(ステップST34)。一方、 ステップST48にて通信エラーが発生したと判断さ れた場合、例えば何等かの理由でその通信が行な われないこともある。その場合、超面には通信エ ラーである旨のメッセージが設示され(ステップS T50)、その後再収収合データを送信する必要があ るか沓かの判断が行なわれる(ステップST51)。 所 政風会データを送信する必要がない場合には、そ

次に、第11回の設派サブルーチンにおいて、そのファンクションキー体28の「投派」キーが操作されると、1/F部22を介して入力した受信状況の情報のけいにより、文字放送の受信が正常に行なわれているか習かの関係者組の情報により、今日が顕遠四個日であるか否かの判断が行なわれる(ステップST52)。 契いて、その競馬場の関係日である場合には、醤面に数局情報の設派が行なわれる(ステップST53)。 契いて、その競馬場の関係日である場合には、醤面に数局情報の設派が行なわれているかがかの判断が行なわれる(ステップST54)。 その没示が行なわれていないときには、第27回に示されるように、場名道识調面の設派処理が実行される(ステップST55)。すなわち、既に継々数場情

報等の表示処理が行なわれているときには、その 投示のための初期設定が既に行なわれているから である。そこで、質質下部のメッセージにしたが って、別定数字キーの操作、続いて「#」キーが扱 作されると(ステップST56)、 約28図に示されるよ うに、表示メニュー製団の表示処理が行なわれる (ステップSTS7)。さらに、その図面下部のメッセ ージにしたがって、例えば数字キー(1)と[#]キ ーが操作されると(ステップST58)、オッズ情報扱 示モードとされ、例えば遊野キーが操作されると、 **第29閏に示されるように、オッズ(例えば10レー** スの遊野オッズ) 表示処理が行なわれる(ステップ ST59)。このとき、展面に表示されている遊憩オ ッズ情報は、文字放送の数局番組よりの最新のデ 一タに基づいたものである。これは、何えば趙爲 投展券を購入するに際し、ファンにとってオッズ 情報が極めて重要な目安となっているからである。 ここで、ファンクションキー郡28の「+」キーある いは「一」キーが単作されると、レース番号がアッ プあるりはダウンされる。その幾作に応じたレー

.:

٠ŝ.

.

スのオッズ情報が超歯に設示される。また、「塩 砂」キー製作の変わりに「単砂」キーあるいは「複砂」 キーが製作されると、その製作に応じたオッズ情 複表示処理が行なわれ、第30図に示されるように、 砂部には上記遊野オッズ情報扱示と同様のオッズ 情報が表示される(ステップST59)。

また、上記ステップST58において、数字「4」キーが製作されると、馬体重、出走取得投示モードとされ、勇31国に示されるように、当該レース(例えば10レース)におけるに馬体重、出しレースの機の処理が行なわれ(ステップST58)、10レースの投資が関節に表示の体盤や前回との選等が関節に表示ではれる。なお、上記同様に、ファンの場件され、そのではいるのはであるが対した。以前のなどでは、では、出版のなどでは、では、というには、ないでは、他の数字キーを関係にあることにより、例えば、数馬番組よりの情報にあって、そのキー操作に応じた表示処理が行なわ

れ、延囲にレース結果(競走成績、払戻金)等が表 - 示される(ステップST59)。

このような表示制物処理が行なわれた後、ステ ップST2に戻って機能選択キーの入力待ちとされ る。すなわち、上記オッズ情報等が函聞に表示さ れているときでも、ファンクションキー群28の 「投票」、「服会」、「表示」キーの何れかが幾作され ると、その操作に応じたモードとされる。一方、 ステップST52において、文字放送受信邸2にて文 子放送が正常に受信されていないときには、エラ ーメッセージの表示処理が行なわれ、値面にはそ の旨を根知するメッセージが表示される。さらに、 ステップST53において、競馬関位日でないと判断 された場合には、エラーメッセージの表示処理が 行なわれ、函数にはその旨を報知するメッセージ が設示される。なお、そのメッセージと共に、次 回開催日を設示してもよい。このように、エラー メッセージ表示処理が行なわれた後、ステップST 2に戻って機能道択キーの入力符ちとされる。

次に、第6回に示す投票Aサブルーチンにおい

て、ファンクションキー酢28の「オッズ投頭」キー が操作されると、第32回に示されるように、蚊馬 悉組の最新情報に基づいてオッズ情報および投算 函節の表示処理が行なわれ、確認には豊族レース (例えば10レースの遊野オッズ)が表示される。こ こで、函面下部のメッセージにしたがって数字中 ーと「#」キーを操作すると、当該レースの遊ち馬 投展が行なえる。すなわち、例えば「1」。「3」。 「#」キーを操作すると、四図に示されるように、 「1-3」の部分の色が変えられ、さらに他の酵馬 投兵、例えば「2-3」 等を入力することができる。 なお、ファンクションキー群28の「+」キーあるい は「一」キーが操作されると、レース番号がアップ あるいはダウンし、その製作に応じたレースのオ ッズ情報が図面に表示される。また、「単語」キー あるいは「滋砂」ギーが操作されると、その操作に 応じたオッズ情報表示処理が行なわれ、第33団に 永されるように、 延断には上記逃費オッズ情報表 示と阿禄に単彦、あるいは世郎オッズ情報が表示 される。このように、歴馬投票が入力された数。

持開平2-110660 (10)

投票入力国面に戻すことにより、その母母投票の 金点寺を入力することができる。

Ç., ,

.

:

:1. 13.

別様の経験を決

4

.

學等所以學

さらにまた、上記路11図に示す表示サブルーチンのステップST58において、「1. オッズ」が選択されている場合、ファンクションキー作28の「オッズ投票」キーを操作すると、第32図に示されるように、上記回標のオッズ投票回酬の表示処理が行なわれ、回酬には当該レース(例えば10レースの遊野オッズ)が表示され、伊馬投票が可能とされる。しかも、上述したように任意のレースの遊野、単野および復歴のいずれの伊馬投票も入力することができる。

このように、オッズ投照は、オッズ図配を見ながらBBの音号を通択し、投票入力図面に戻って時入金額を入力して投票することができるものである。したがって、「オッズ投票」を一般作により、オッズ投票図面へ移されるようになっている。また、オッズ投票図面へ移されるようになっている。また、オッズ投票図面からオッズ投票図面がらオッズ投票図面がらオッズ投票図面がよって、最近の場合には「投票」を操作し、オッズ投票図面の

て済み、伊風投票が発売センター関と接続される 在宅投票装置がより多くなり、より多くのファン が野馬投票が取りたさるようになる。また、こ の発明によれば、文字放送の数馬香根による及斯 情報を記憶するようになっているため、いつでも 必要とする母斯の数馬情報を得ることができ、ファンにとってはその母斯情報を参考として伊馬投票を行なうことができるという効果がある。 4、回面の関単な説明

第1回はこの発明の一実施例を示す在宅投源被費の機略のブロック図、第2間は上記在宅投票被型に用いられるHKP(リモート キー パッド)の正面図、第3回および再4回は上記在宅投系被型の正面図および評面図、第5回乃並第12回は上記在宅投票被型の動作を説明するためのフローチャート図、第13回乃並第33回は上記在宅投票被型の設示处理によるテレビジョンの護面の表示状態図である。

因中、1はアンテナ、2は文字放送交信部、3 は野馬投票前間部、4はREP(リモート キー バッ

÷.

出から投資的出に及る場合には「投票」キーを操作すればよい。以上投明した実施例は、概ねが12回のフローチャートに示されるように動作される。

このように、任意のレースの野馬投票に必要な データが一括で送信されるので、電話回線の使用 時間が短くなり、より多くの加入者にて野馬投票 みの購入ができるようになる。

#### [発明の効果]


以上及明したように、この免明の在宅投票数据によれば、文字放送を受信する文字放送受信機館と、その文字放送を受信するテレビ可聞に関係情報(各レースのオッズ等)、そのレース結果、即為投票およびその数項投票がを表示すると、の投票を行なった後、投資作を行なっことにより、その時期投票が発売して必要なデータを電話回線を介して時期投票を発売して必要なで、在宅にて野馬投票を行なうに際し、その砂馬投票を明入のデータ送信が回線の使用時間が短くの成果を明入のデータ送信が回線の使用時間が短くの成果を明入のため、就話回線の使用時間が短く

ド;リモコン)、5 はチューナ部、6 はDRT部、7 はRAM部(文字放送文信部2の)、8 は共有メモリ部、9 はCPU(文字放送文信部2の)、10はROM部(文字放送文信部2の)、11はバス(文字放送文信部2の)、12はIDT部、13はRF 終期際、14は文光部および1/F部、15はRAM部(房所投資例部3の)、16はNCU(Notwork Control Unit)、17はモデム部、-18はCPU(房质投票制御部3の)、18はROM部(房质投票制御部3の)、20はバス(房质投票制御部3の)、21、22、23、24はI/F部、25はメモリカード、26 はメモリカード就成部である。


. .

初 許 出 取 人 株式会社富士通ゼネラル 代現人 弁理士 大 原 新 也

#### 转閒平2-110660 (11)




第2四




と語というのは他のははは我の方ととととととというです。 とはないはれるではない はいまい


第 3 図




第 4 図




#### 特別平2-110660 (12)




gir salish gill dangerska i barwaka da iran






.



The control of the co



:


The state of the state of

3) en er 4) Z) 83 玩 (v) U) Es 場名選択盟軍 第14回.第15回 福名選灰頭面 7) 第 27 図 11) 海道沢 n) 福建坎 ュニュー重要 第 28 図 投票面面 第16回。第17回 (リ) オッズ選択・ 里汉 第30回 第30回 1年) 主,不改五 Z + 190 登場(祖等) ナッズは思想面 第33回 画等 オッド記念画面 第31回

第12 図

i de de la companya d

. .



ĵΑ

郑14

叔

郑15

...

. :

The second of the second

M

13

<ul> <li>第22 図 出信</li></ul>		<del></del>					
<ul> <li>第22 図</li></ul>	图 61 缺	京京101-7 通路	カガジンネーを指して下さい 第20図	Continues april	第21 図		加入省No.をどうそ.
出版	, ·	(2		(9)			
	2000年	1 * C * C * C * C * C * C * C * C * C *	1	平安 95,000円 ::>キーを打	第24 图	原会メニュー 1. 本日の砂馬電路 2. 路当 3. 的中	メニューを選択して下さい 図井

.:-

S. M. Sakari

描

場名の番号をどうぞ

;; : ;: :

M 第25日

155,000円 あなたの経済は 7

第25四

カガガナーを押して下さい

100. 200FB 3 田000 2 81-73-4部 **弘**戻会 870, ᆀ ĸ 東京 免中 3)

云 27 緻

| 東京 1.京部 1.福島 | 日本ダービー cor-14 | 天皇寅 cor-14 3

Explain the angle of the second of the second

.

A Committee of the comm

のでは、「「「「「「「「「「」」」」というできない。「「「」」というできない。「「「」」というできない。「「「」」というできない。「「「」」というできない。「「」」というできない。「「」」というできない

第28四

瓦社

ガニメに対


オッス 厨寺成領、社更金 馬体質、出走取清 天候、馬場状館

田井 メニューを選択して下さい 20 HAMMARA DESCRIPTION OF THE PROPERTY OF THE PRO | 62歳 京京10~12時

数30函

東京10~1 阜野 ||:川 吳在 \*\*\*\*\*

# 特開平2-110660 (18)



11,22

નું ક

第1頁の続き

②発 明 者 橋 本 順 一 神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ ラル内

②発 明 者 山 根 賢 一 神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ ラル内

②発 明 者 稲 見 雅 彦 神奈川県川崎市高津区末長1116番地 株式会社富士通ゼネ ラル内

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

# **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.